Paper Dated: August 16, 2010

In Reply to USPTO Correspondence of February 16, 2010

Attorney Docket No. 0115-062668

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the

application.

Listing of Claims

Claims 1-8 (Cancelled).

Claim 9 (Currently Amended): An apparatus for converting thermal energy to

another energy form comprising at least one heat input and accumulator module, each heat-input

and accumulator module comprising:

a device transmitting a heat-input, and

an accumulator,

the device and accumulator being connected to one another for the exchange of

fluids,

wherein the energy that can be built up as fluid pressure in the heat input and

accumulator module can be converted to the other energy form by means of an energy

conversion device, wherein the energy conversion device is a hydraulic motor which can be

connected with a gear unit of the apparatus, wherein the device transmitting a heat input is an

internal combustion engine, the internal combustion engine being connected with the gear unit of

the apparatus, and

wherein pressure bottles are provided for intermittent storage of pressurized

hydraulic liquid, the combustion heat from the engine being essentially absorbed in the

pressurized hydraulic liquid, and the pressure bottles are also provided for subsequent supply of

the pressurized hydraulic liquid to the hydraulic motor for driving the hydraulic motor,

wherein the hydraulic motor is adapted to act as a hydraulic pump in a hydraulic

pump mode, and

wherein a control unit is adapted to switch the hydraulic motor into the hydraulic

pump mode for storing retardation energy in the apparatus.

Claims 10-11 (Cancelled).

Page 2 of 7

Paper Dated: August 16, 2010

In Reply to USPTO Correspondence of February 16, 2010

Attorney Docket No. 0115-062668

Claim 12 (Withdrawn): An apparatus for converting thermal energy to another energy form comprising at least one heat input and accumulator module, each heat-input and

accumulator module comprising:

a device transmitting a heat-input, and

an accumulator,

the device and accumulator being connected to one another for the exchange of fluids, wherein the energy that can be built up as fluid pressure in the heat input and accumulator module can be converted to said other energy form by means of an energy conversion device,

wherein the energy conversion device is a hydraulic lifting apparatus or a torquestoring apparatus.

Claims 13-18 (Cancelled).

Claim 19 (Withdrawn): The apparatus as claimed in claim 12, further comprising a heat exchanger connected to the energy conversion device, and wherein the heat exchanger is connected to the heat-input transmitting device via a circulation pump.

Claim 20 (Withdrawn): The apparatus as claimed in claim 19, further comprising a return chamber situated between the heat exchanger and the circulation pump.

Claim 21 (Withdrawn): The apparatus as claimed in claim 12, wherein the heatinput transmitting device is a solar collector.

Claim 22 (Cancelled).

Claim 23 (Withdrawn): The apparatus as claimed in claim 12, further comprising a hydraulic motor provided between the device transmitting a heat-input and the energy conversion device, the hydraulic motor being additionally connected to a generator for current

Paper Dated: August 16, 2010

In Reply to USPTO Correspondence of February 16, 2010

Attorney Docket No. 0115-062668

generation, wherein on the one hand, the hydraulic motor can be used to directly drive the

generator in case of an energy-input from the device transmitting a heat-input, and on the other

hand, the hydraulic motor can be supplied by the energy conversion device without an energy-

input from the device transmitting a heat-input.

Claim 24 (Withdrawn): The apparatus as claimed in claim 12, further comprising

several devices transmitting a heat-input and accumulators, the accumulators being connected to

a distribution unit, wherein the individual heat-input transmitting devices and accumulators can

be intermittently connected to the energy conversion device by means of the distribution unit.

Claim 25 (Withdrawn): The apparatus as claimed in claim 12, wherein the

hydraulic lifting device has a weight, guide rails, and latching elements, wherein the position in

height of the weight corresponding to a storing of energy can be secured with the aid of latching

elements locking-in to the guide rails.

Claim 26 (Withdrawn): The apparatus as claimed in claim 25, wherein the

accumulator has a secondary store which is connected with a collecting tank, in order to supply

the apparatus with fluid, in case fluid entered into the hydraulic lifting apparatus while lifting the

weight.

Claim 27 (Withdrawn): The apparatus as claimed in claim 12, wherein the

hydraulic lifting apparatus comprises a lifting unit, the lifting unit consisting of a threaded guide

rod and a hydraulic motor.

Claim 28 (Withdrawn): An apparatus for converting thermal energy to another

energy form having at least one heat input and accumulator module, each heat-input and

accumulator module comprising:

a device transmitting a heat-input, and

an accumulator,

Page 4 of 7

Paper Dated: August 16, 2010

In Reply to USPTO Correspondence of February 16, 2010

Attorney Docket No. 0115-062668

the device and accumulator being connected to one another for the exchange of

fluids, wherein the energy that can be built up as fluid pressure in the heat input and accumulator

module can be converted to the other energy form, by means of an energy conversion device,

wherein the device transmitting a heat input is a hydraulic motor working as a

hydraulic pump and driven by a gear unit of the apparatus.

Claim 29 (Withdrawn): The apparatus as claimed in claim 28, further comprising

a plurality of accumulator modules connected to a distribution unit, wherein the individual

accumulator modules can be connected intermittently to the energy conversion device by means

of the distribution unit.

Claim 30 (Withdrawn): The apparatus as claimed in claim 28, further comprising

a heat exchanger connected to the energy conversion device, and wherein the heat exchanger is

connected to the heat-input transmitting device via a circulation pump.

Claim 31 (Withdrawn): The apparatus as claimed in claim 27, wherein the

hydraulic motor is connected to a reduction gear flange.

Page 5 of 7